



The Patent Office
Concept House
Cardiff Road
Newport

South Wates C'D 0 5 JUN 2003

NP10 80

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed.

Dated

13 May 2003

llahoner

PRIORITY

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

An Executive Agency of the Department of Trade and Industry Best Available Copy

The Patents Form 1/77 atent nts Act 1977 シュロロマ (Rule 16) 16APR02 E711131-2 C69803 P01/7700 0.00-0208609.8 The Patent Office Request for grant of a patent Cardiff Road (See the notes on the back of this form. You can also get Newport an explanatory leaflet from the Patent Office to help Gwent NP9 1RH you fill in this form) ACC/DAB/PG4715 1. Your reference 2. Patent application number 0208609.8 113 APR 2002 (The Patent Office will fill in his part) Glaxo Group Limited 3. Full name, address and postcode of the or of Glaxo Wellcome House, Berkeley Avenue, each applicant (underline all surnames) Greenford, Middlesex UB6 0NN, Great Britain 473587007 Patents ADP number (if you know it) If the applicant is a corporate body, give the United Kingdom country/state of its incorporation Composition 4. Title of the invention Corporate Intellectual Property 5. Name of your agent (if you have one) GlaxoSmithKline "Address for service" in the United Kingdom Corporate Intellectual Property CN925.1 to which all correspondence should be sent 980 Great West Road (including the postcode) 8072555004 BRENTFORD Middlesex TW8 9GS Patents ADP number (if you know it) Priority application number Date of filing Country 6. If you are declaring priority from one or more (day / month / year) (if you know it) earlier patent applications, give the country and the date of filing of the or each of these earlier applications and (if you know it) the or each application number Date of filing Number of earlier application 7. If this application is divided or otherwise (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer yes if:

derived from an earlier UK application, give the number and the filing date of

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is named as an applicant, or

c) any named applicant is a corporate body

See note (d)

the earlier application

Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form
Description
Claim(s)
Abstract
Drawings



10. If you are also filing any of the following, state how many against each item.

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

•	

We request the grant of a patent on the basis of this

application Allonnel

Date 11-Apr-02

A C Connell

12. Name and daytime telephone number of person to contact in the United Kingdom

A C Connell 01279 644395

Warning

After an application for a Patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed tf it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission unless an application has been filed at least six weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- f) For details of the fee and ways to pay please contact the Patent Office.

10

20

25

30

35

COMPOSITION

This invention relates to dry powder pharmaceutical compositions, and their use in the treatment of respiratory disorders by inhalation. The invention also relates to dry powder inhalers comprising the same. More particularly, this invention relates to a dry powder pharmaceutical composition with improved stability comprising a bronchodilator drug in combination with a steroidal antiinflammatory drug.

Dry powder inhalers (DPI's) are well known devices for administering pharmaceutically active agents to the respiratory tract. Consequently, they are particularly suitable when used for the administration of active agents in the treatment of diseases such as asthma, bronchitis, chronic obstructive pulmonary disease (COPD), emphysema, rhinitis etc. Since the drug acts directly on the target organ much smaller quantities of the active ingredient may be used, 15 thereby minimising any potential side effects.

Dry powder compositions for use as inhalable medicaments in DPI's typically comprise a pharmaceutically active agent intimately admixed with an excess of pharmaceutically acceptable excipient or excipients (often called carrier(s)). Such excipients serve not only to dilute the quantity of active agent administered in each dose but also to establish acceptable manufacture of the powder mixture and aid in the aerosolisation of the drug. Such a high proportion of excipient will essentially determine the properties of the powder formulation, particularly the manufacturing characteristics.

European patent EP 0416951B1 describes the use of a bronchodilator drug, salmeterol or a pharmaceutically acceptable salt thereof, in combination with a steroidal anti-inflammatory drug, fluticasone propionate, for the treatment of respiratory disorders such as asthma. Several dry powder compositions containing such active agents are described therein.

A problem associated with the use of dry powder pharmaceutical compositions of this type is that they can be susceptible to poor stability performance due to moisture ingress. For example, significant deterioration in the fine particle dose (FPD), namely that which has the potential to penetrate into the lower airways of the lung, is often observed upon protracted exposure of such compositions to conditions of elevated temperature and humidity.

Patent application WO 00/28979 (SkyePharma) describes one approach to overcome the above noted problems. It is claimed that dry powder formulations comprising a pharmaceutically active agent, an inhaled vehicle of non-inhalable particle size and magnesium stearate have improved storage stability under extreme (temperature and humidity) conditions.

10

15

20

25

30

35

5

We have now discovered novel dry powder pharmaceutical compositions containing a combination of therapeutically active molecules as described in EP 0416951B1 and certain carbohydrate derivatives. Such compositions demonstrate surprisingly enhanced stability performance in respect of eliminating or reducing the detrimental effect on fine particle dose caused on storage of said compositions.

The present invention therefore provides, in a first aspect, a dry powder pharmaceutical composition for inhalation therapy comprising salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate, an excipient and a derivatised carbohydrate in particulate form.

It is to be understood that the dry powder pharmaceutical compositions according to this invention include not only those in which the components are incorporated as individual particles but also those including matrix particles of more than one component. For example, matrix particles of pharmaceutically active agent and a derivatised carbohydrate may be utilised. Such matrix particles can be prepared by co-precipitation and particle coating methods which are familiar to those skilled in the art. Suitably, the components are incorporated as individual particles.

The term "derivatised carbohydrates" is used herein to describe a class of molecules in which at least one hydroxyl group of the carbohydrate group is substituted with a hydrophobic moiety via either ester or ethers linkages. All isomers (both pure and mixtures thereof) are included within the scope of this

10

15

term. Mixtures of chemically distinct derivatised carbohydrates may also be utilised.

Suitably, the hydroxyl groups of the carbohydrate may be substituted by a straight or branched hydrocarbon chain comprising up to 20 carbon atoms, more typically up to 6 carbon atoms. The derivatised carbohydrates can be formed by derivitisation of monosaccharides (e.g. mannitol, fructose and glucose) or of disaccharides (e.g. maltose, trehalose, cellobiose, lactose and sucrose). Derivatised carbohydrates are either commercially available or can be prepared according to procedures readily apparent to those skilled in the art.

Non limiting examples of derivatised carbohydrates include cellobiose octaacetate, sucrose octaacetate, lactose octaacetate, glucose pentaacetate, mannitol hexaacetate and trehalose octaacetate. Further suitable examples include those specifically disclosed in patent application WO 99/33853 (Quadrant Holdings), particularly trehalose diisobutyrate hexaacetate. A particularly preferred derivatised carbohydrate is α -D cellobiose octaacetate.

Typically, the aerodynamic size of the derivatised carbohydrates will be between 1 and 50μm, and more particularly 1 - 20μm. The derivatised carbohydrates for use in the preparation of compositions in accordance with this invention are typically micronised but controlled precipitation, supercritical fluid methodology and spray drying techniques familiar to those skilled in the art may also be utilised.

25

30

35

20

Suitably the derivatised carbohydrate is present in a concentration of 0.01 - 50% by weight of the total composition, preferably 1 - 20%.

Salmeterol and fluticasone propionate are typically in a form that is suitable to be administered by inhalation. In the field of inhalation therapy, the term "suitable to be administered by inhalation" is generally taken to mean therapeutic molecules having an aerodynamic diameter between 0.1 and 10µm, and more particularly 1 - 5µm. Particles of the desired particle size for inhalation are conventionally prepared by micronisation. Other methods of producing such particles are also known in the art. Therefore, such particles can also be

10

15

20

25

30

prepared using controlled precipitation methods (e.g. methods described in patent applications WO 00/38811 and WO 01/32125 (Glaxo Group Limited)), using supercritical fluid methodology or by spray drying techniques. The present invention provides no limitation on the method by which the therapeutic molecules are made suitable to be administered by inhalation.

The quantity of active agent in the composition produced in accordance with this invention will vary significantly depending, *inter alia*, upon the the age and weight of the patient and the severity of the condition. Such considerations are familiar to the person skilled in the art. Typically however, the active agent will be present in a concentration of 0.05 to 20%, more typically 0.1 - 15% of the total weight of the composition.

Salmeterol is preferably used in the form of its 1-hydroxy-2-naphthalene carboxylate (Xinafoate) salt.

The ratio of salmeterol to fluticasone propionate in the compositions according to this invention is preferably in the range 4 : 1 to 1 : 20.

In addition to salmeterol and fluticasone propionate the compositions according to this invention may also include one or more additional therapeutically active agents. Suitable examples include compounds known in the art as anticholinergics or PDE-4 inhibitors.

The excipient may be composed of particles of any pharmacologically inert material or combination of materials which is / are suitable for inhalation.

Preferred excipients include mono-saccharides, such as mannitol, arabinose, xylitol and dextrose and monohydrates thereof, disaccharides, such as lactose, maltose and sucrose, and polysaccharides such as starches, dextrins or dextrans. More preferred excipients comprise particulate crystalline sugars such as glucose, fructose, mannitol, sucrose and lactose. Especially preferred excipients are anhydrous lactose and lactose monohydrate.

10

15

25

30

35

Generally, the particle size of the excipient particles will be much greater than that of the inhaled active agent and as a result, do not penetrate into the respiratory tract. Thus, excipient particles for inhalable compositions may typically have particle sizes greater than 20µm, more preferably in the range 20 - 150µm.

If desired, the inhalable compositions may also contain two or more excipient particle size ranges. For example, in order to control the proportion of inhaled medicament, while retaining a good accuracy for metering, it is often desirable to use one component of the excipient that has a particle size of less than $15\mu m$ (the fine excipient component) and another component of the excipient that has a particle size of greater than $20\mu m$ but lower than $150\mu m$, preferably lower than $80\mu m$ (the coarser excipient component).

The excipient or excipients may be commercially available in the desired particle size range or may be separated by air classification, sieving or any other method of size classification known in the art.

Preferably the weight ratio of the fine and coarser excipients components will range from 1 : 99 to 50 : 50.

Fine and coarse excipient components may consist of chemically identical or chemically different substances. The excipient mixtures may, for example, contain one chemical substance as the fine excipient and a different substance as the coarser excipient. However, the fine and coarser excipients in question may themselves constitute mixtures of different substances. Preferably the fine and coarser excipients will both be lactose.

The proportion of excipient material to be used in the inhalable compositions of this invention may vary depending upon the particular active agent, the powder inhaler for administration etc. The proportion may, for example, be about 75% to 99.5% by weight of the composition as a whole.

It will be appreciated that such inhalable compositions may also contain minor amounts of other additives e.g. taste masking agents or sweetners. Where

10

15

20

25

30

such additives are present, they will generally not exceed 10% by weight of the total weight of the composition.

The dry powder pharmaceutical compositions in accordance with this invention can be prepared using standard methods. The pharmaceutically active agent, excipient and derivatised carbohydrate can be intimately mixed using any suitable blending apparatus, such as high shear blenders. The particular components of the formulation can be admixed in any order. Pre-mixing of particular components may be found to be advantageous in certain circumstances. The progress of the blending process can be monitored by carrying out content uniformity determinations. For example, the blending apparatus may be stopped, materials removed using a sample thief and then analysed for homogeneity by High Performance Liquid Chromatography (HPLC).

To determine the improved stability associated with compositions prepared according to this invention, the blends thus formed can be placed on accelerated stability screen (e.g. 40°C / 75% relative humidity) and the fine particle fraction reduction (i.e. comparison of pre and post stability FPF data) measured as an analytical parameter using a Cascade Impactor (CI) or Twin Stage Impinger (TSI). Such procedures are familiar to those skilled in the art.

According to the invention, the inhalable compositions can be delivered by any suitable inhalation device that is adapted to administer a controlled amount of such a pharmaceutical composition to a patient. Suitable inhalation devices may rely upon the aerosolisation energy of the patient's own breath to expel and disperse the dry powder dose. Alternatively, this energy may be provided by an energy source independent of the patient's inhalation effort, such as by impellers, patient/device created pressurised gas sources or physically (e.g. compressed gas) or chemically stored energy sources. Suitable inhalation devices can also be of the reservoir type i.e. where the dose is withdrawn from a storage vessel using a suitably designed dosing device or alternatively, inhalation devices that release drug from pre-metered units e.g. blisters, cartridges or capsules.

10

15

20

25

30

Packaging of the composition may be suitable for unit dose or multi-dose delivery. In the case of multi-dose delivery, the composition can be pre-metered (e.g. Diskhaler® as described in US4811731 and US5035237) or metered in use (e.g. Turbuhaler® as described in US4668218). An example of a unit-dose device is Rotahaler® (as described in US4353365).

A particularly preferred inhalation device for dry powder pharmaceutical compositions of this invention is the Diskus® inhaler (described in US patents 5590645 and 5860149) which may be charged with blister (medicament) packs as described in US 5873360.

The present invention therefore also provides for a medicament pack for use in an inhalation device which comprises an elongate strip formed from a base sheet having a plurality of recesses spaced along its length and a lid sheet hermetically but peelably sealed thereto to define a plurality of containers, each container having therein an inhalable composition according to the present invention.

Preferably, the strip is sufficiently flexible to be wound into a roll. The lid sheet and base sheet will preferably have leading end portions which are not sealed to one another and at least one of the said leading end portions is constructed to be attached to a winding means. Also, preferably the hermetic seal between the base and lid sheets extends over their whole width. The lid sheet may preferably be peeled from the base sheet in a longitudinal direction from a first end of the said base sheet.

As a yet further aspect of the present invention we also provide an inhalation device for use with a medicament pack which comprises an inhalable composition according to the present invention, said device comprising:

- (i) an opening station for receiving a container of a medicament pack being used with said inhalation device;
- (ii) means positioned to engage peelable sheets of a container which has been received in said opening station for peeling apart the peelable sheets, to open such a container;

10

15

20

25

- (iii) an outlet, positioned to be in communication with an opened container, through which a user can inhale medicament in powder form from such an opened container; and
- (iv) indexing means for indexing in communication with said outlet containers of a medicament pack in use with said inhalation device.

As an alternative aspect of the present invention we also provide a medicament pack comprising a circular carrier disc which has a plurality of pre-filled, hermetically sealed containers formed integrally therewith and arranged in a circle, each container containing an inhalable composition according to the present invention, each container being puncturable to form a hole on each side thereof to allow in use, air to flow through the container to entrain the powder contained therein.

As a further aspect of the present invention there is also provided an inhalation device by which compositions of the present invention may be administered to a patient which comprises a housing, a tray mounted and capable of moving within said housing (via a plunger) adapted to receive a circular carrier disc medicament pack, an air inlet (through which air can enter said device) and an air outlet (through which a patient may inhale and receive said composition.

As an alternative aspect of the present invention we also provide a medicament pack comprising a piercable capsule which contains an inhalable composition according to the present invention.

As a further aspect of the present invention there is also provided an inhalation device by which compositions of the present invention may be administered to a patient which comprises a body shell which has a nozzle at a forward end and which is open at the rear end, a sleeve fitted on the outside of the body shell and rotatable with respect to it, a means for retaining a piercable capsule extending through the rear wall of the sleeve into the body shell, means for piercing said capsule when sleeve is rotated and a guard to ensure that the inhalable composition and not the pierced capsule, passes through the nozzle.

35

As a further aspect of the present invention there is also provided an inhalation device by which inhalable compositions of the present invention may be administered to a patient which comprises a nozzle, an air conduit connected to said nozzle for allowing a passage of air to be inhaled, a dosing unit comprising a storage chamber for the inhalable composition (which may also comprise a dosage indicating means) and a displaceable element for dispensing said formulation from the storage chamber into the air conduit, a manoeuvering unit for displacing said element in relation to the storage chamber and optional deflector devices to provide accelerated airflow.

10

In a further or alternative aspect the present invention also provides for a method of treatment or prophylaxis of respiratory disorders which comprises administering to a patient in need thereof of a dry powder pharmaceutical composition according to the present invention.

15

According to another aspect the present invention provides for the use of a dry powder pharmaceutical composition according to the present invention in the manufacture of a medicament for the treatment of respiratory disorders.

20

Suitable examples of respiratory disorders include, but are not limited to, asthma, bronchitis, chronic obstructive pulmonary disease (COPD), emphysema and rhinitis.

Preferably the respiratory disorder is asthma.

25

Where used herein, unless otherwise stated, the terms "dry powder pharmaceutical composition for inhalation therapy" and "inhalable composition" are to be treated as synonymous.

30

All publications, including but not limited to patents and patent applications, cited in this specification are herein incorporated by reference as if each individual publication were specifically and individually indicated to be incorporated by reference herein as though fully set forth.

Throughout the specification and claims which follow, unless the context requires otherwise, the word "comprise", and variations thereof such as "comprises" and 'comprising', will be understood to imply the inclusion of a stated integer or step or group of integers but not to the exclusion of any other integer or step or groups of integers.

The invention will now be described in detail by way of reference only to the following non-limiting examples.

10

25

30

5

Example 1

<u>Dry Powder Compositions comprising derivatised carbohydrates and a 50µg:</u>
<u>50µg combination of Salmeterol Xinafoate and Fluticasone Propionate</u>

All derivatised carbohydrates (Aldrich, Dorset, UK) were micronised (GEM –T, Glen Creston) under nitrogen with an inlet pressure of 3.5 bar and a grinding pressure of 2.0 bar.

The blends A - E, as tabulated below, were prepared by the following procedure.

All material utilised in these blends was sieved using a 500µm aperture screen to remove large agglomerates.

Blend A, the control, is formed by mixing of lactose and actives in a 2.5L QMM (high shear) bowl for approximately 10 minutes (blend uniformity less than 4% RSD for either active material (ten samples each approx. 25mg)).

For blends B - E, approximately half of the derivatised carbohydrates were premixed with the actives and the other half pre-mixed with the lactose, both in high shear blenders. The two pre-mixes were then combined and mixing continued in a QMM blender for approximately 10 minutes. The blend uniformity data were found to be in the range 1 - 3% RSD for both active materials.

Blend	Contents of blend	Amount (g)	Amount %
Α	Salmeterol Xinafoate	2.91	0.58
	D(0.5) 1.6µm*		
	Fluticasone Propionate	2.00	0.40
	D(0.5) 2.0µm*		
	Lactose monohydrate	495.09	99.02
	11.8% fines, D (0.5) 60μm*		
В	Salmeterol Xinafoate	2.91	0.58
	D(0.5) 1.6μm*		
	Fluticasone Propionate	2.00	0.40
	D(0.5) 2.0µm*		
	α-D-Sucrose Octaacetate	35.00	7.00
	D(0.5) 10μm**		
	Lactose monohydrate	460.09	91.94
	6.5% fines, D (0.5) 84µm*		
С	Salmeterol Xinafoate	2.91	0.58
	D(0.5) 1.6μm*		0.40
	Fluticasone Propionate	2.00	
	D(0.5) 2.0μm*		
	α-D-Cellobiose Octaacetate	35.00	7.00
	D(0,5) 1.7μm**	460.09	
	Lactose monohydrate		91.94
	6.5% fines, D (0.5) 84μm*		
D	Salmeterol Xinafoate	2.91	0.58
	D(0.5) 1.6μm*		
	Fluticasone Propionate	2.00	0.40
	D(0.5) 2.0μm*	05.00	7.00
	D-Glucose Pentaacetate	35.00	7.00
	D(0,5) 4.5μm**	100.00	
	Lactose monohydrate	460.09	91.94
	6.5% fines, D(0.5) 84µm*		

E	Salmeterol Xinafoate	2.91	0.58
	D(0.5) 1.6µm • Fluticasone Propionate	2.00	0.40
	D(0.5) 2.0μm • α-D-Lactose Octaacetate	35.00	7.00
	D(0,5) 18µm** • Lactose monohydrate	460.09	91.94
	6.5% fines, D(0.5) 84µm*		<u> </u>

- Laser diffraction using Malvern Mastersizer, sample dispersed in lecithin /
 Isooctane (Fines = material <15µm)
- 5 ** Laser diffraction using Sympatec, Vibri sample introduction at 1 bar pressure

The blends thus formed were then added to blister packs, of the type described in patent US 5873360, using filling methods according to procedures outlined in WO 00/71419 (Glaxo Group Limited). Each blister contained approximately 12mg of the blend.

The seal integrity of the blister pack was deliberately compromised by puncturing each blister. The blister pack was then loaded into a Diskus® device.

The loaded Diskus® devices containing blends A - E were placed on accelerated stability at 40°C / 75% relative humidity for period of 72 hours. Twin stage impinger analysis (in triplicate) was performed (at 60 l/min) by the method detailed in the British Pharmacopoeia (Method A) with the exception that a USP throat was substituted for the glass one and was sealed to the stage 1 jet tube using a rubber gasket. The devices were tested pre and post storage by discharging the contents of 14 blisters into the Twin Stage Impinger apparatus. The results obtained are tabulated below.

Blend	Pre-Storage (µg/dose)		Pre-Storage (µg/dose) Post-Storage (µg/dose)	
Diction	Salmeterol base (stage2 / emitted dose)	Fluticasone Propionate (stage 2 / emitted dose)	Salmeterol Base (stage 2 / emitted dose)	Fluticasone Propionate (stage 2 / emitted dose)
A	9.69 / 42.1	11.7 / 40.9	5.42 / 39.2	6.60 / 39.6
В	2.96 / 35.4	3.91 / 35.2	2.30 / 33.3	2.83 / 32.8
C	6.07 / 41.8	4.79 / 42.3	6.10 / 39.8	5.26 / 40.1
D	8.12 / 38.1	9.02 / 36.9	6.74 / 37.5	7.66 / 36.4
E	5.53 / 44.0	6.73 / 40.	3.87 / 48.2	4.53 / 43.8

Blend	Mean Stage 2 Pre-Storage (%)		Mean Stage 2 Post-Storage (%)	
	Salmeterol base	Fluticasone Propionate	Salmeterol Base	Fluticasone Propionate
Α	23.0	28.7	13.8	16.5
В	8.35	11.1	6.91	8.6
C	14.5	11.2	15.3	13.1
D	21.3	24.4	18.0	21.0
E	12.6	16.9	7.98	10.3

5 These data are represented graphically in Figures 1 and 2.

Figure 1 shows the effect of derivatised carbohydrates on the twin impinger performance of the Fluticasone propionate component of Salmeterol Xinafoate / Fluticasone Propionate 50µg / 50µg blends (+/- standard deviation).

Figure 2 shows the effect of derivatised carbohydrates on the twin impinger performance of the Salmeterol Xinafoate component of Salmeterol Xinafoate / Fluticasone Propionate 50µg / 50µg blends (+/- standard deviation).

Data shown in Example 1 demonstrate that dry powder pharmaceutical compositions comprising salmeterol xinafoate and fluticasone propionate as

active agents and further incorporating derivatised carbohydrates, can significantly reduce the deterioration in fine particle fraction following exposure to high temperature and humidity. It is believed therefore, that such compositions, when incorporated in dry powder inhaler products, would demonstrate considerably enhanced stability and hence an increased shelf-life.

常量。

Claims

15

20

25

- A dry powder pharmaceutical composition for inhalation therapy
 comprising salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate, an excipient and a derivatised carbohydrate in particulate form.
- 2. A dry powder pharmaceutical composition according to claim 1 in which salmeterol is present as its 1-hydroxy-2-naphthoate (xinofoate) salt.
 - 3. A dry powder pharmaceutical composition according to claim 1 or 2 in which the derivatised carbohydrate is a mono or di-saccharide in which at least one hydroxyl group of the carbohydrate group is substituted with a hydrophobic moiety via either ester or ethers linkages.
 - 4. A dry powder pharmaceutical composition according to claims 1 3 in which the derivatised carbohydrate is a carbohydrate selected from fructose, glucose, mannitol, maltose, mannitol, trehalose, cellobiose, lactose and sucrose in which at least one hydroxyl group of said carbohydrate is substituted by a straight or branched hydrocarbon chain comprising up to 20 carbon atoms.
 - 5. A dry powder pharmaceutical composition according to any one of claims 1 4 in which the derivatised carbohydrate is selected from the group consisting of cellobiose octaacetate, sucrose octaacetate, glucose pentacetate, mannitol hexaacetate and trehalose octaacetate.
 - 6. A dry powder pharmaceutical composition according to claim 1 in which the derivatised carbohydrate is α -D cellobiose octaacetate.
 - 7. A dry powder pharmaceutical composition according to any one of claims 1 5 in which the derivatised carbohydrate is present at a concentration of less than 10% of the total composition.

10

15

20

30

- 8. A dry powder pharmaceutical composition according to any one of claims 1 7 in which the derivatised carbohydrate has an aerodynamic size in the range 1 and 50µm.
- 9. A dry powder pharmaceutical composition according to any one of claims 1 8 in which one component of the excipient that has a particle size of less than $15\mu m$ (the fine excipient component) and another component of the excipient that has a particle size of greater than $20\mu m$ but lower than $150\mu m$.
- 10. A dry powder pharmaceutical composition according to claim 9 in which the fine and coarse excipient components are both lactose.
- 11. A dry powder pharmaceutical composition according to any one of claims 1 10 for use in therapy.
- 12. A method of treatment or prophylaxis of respiratory disorders which comprise administering to a patient in need thereof a dry powder pharmaceutical composition according to any one of claims 1 10.
- 13. Use of a dry powder pharmaceutical composition according to any
 one of claims 1 10 in the manufacture of a medicament for the treatment of
 respiratory disorders.
- 14. An inhalation device containing therein a dry powder pharmaceutical composition according to any one of claims 1 10.
 - 15. An inhalation device according to claim 14 in which the dry powder pharmaceutical composition is released from a pre-metered unit medicament pack.
 - 16. A medicament pack for use in an inhalation device which comprises an elongate strip formed from a base sheet having a plurality of recesses spaced along its length and a lid sheet hermetically but peelably sealed thereto to define a plurality of containers, each container having therein an inhalable composition according to any one of claims 1 10.

10

20

25

30

- 17. A medicament pack according to claim 16 wherein the strip is sufficiently flexible to be wound into a roll.
- 18. A medicament pack according to claim 16 wherein the lid sheet and base sheet have leading end portions which are not sealed to one another.
 - 19. A medicament pack according to claim 18 wherein at least one of the said leading end portions is constructed to be attached to a winding means.
 - 20. A medicament pack according to claim 16 wherein the hermetic seal between the base and lid sheets extends over their whole width.
- 21. A medicament pack according to claim 16 wherein the lid sheet may be peeled from the base sheet in a longitudinal direction from a first end of the said base sheet.
 - 22. An inhalation device for use with a medicament pack according to any one of claims 16 21 which comprises an inhalable composition according to any one of claims 1 10, said device comprising:
 - (i) an opening station for receiving a container of a medicament pack being used with said inhalation device;
 - (ii) means positioned to engage peelable sheets of a container which has been received in said opening station for peeling apart the peelable sheets, to open such a container;
 - (iii) an outlet, positioned to be in communication with an opened container, through which a user can inhale medicament in powder form from such an opened container; and
 - (iv) indexing means for indexing in communication with said outlet containers of a medicament pack in use with said inhalation device.
 - 23. A medicament pack comprising a circular carrier disc which has a plurality of pre-filled, hermetically sealed containers formed integrally therewith and arranged in a circle, each container containing an inhalable composition according to any one of claims 1 10, each container being puncturable to form a

hole on each side thereof to allow in use, air to flow through the container to entrain the powder contained therein.

24. An inhalation device by which inhalable compositions according to any one of claims 1 - 10 may be administered to a patient which comprises a housing, a tray mounted and capable of moving within said housing (via a plunger) adapted to receive a circular carrier disc medicament pack according to claim 23, an air inlet (through which air can enter said device) and an air outlet (through which a patient may inhale and receive said composition.

10

25. A medicament pack comprising a piercable capsule which contains an inhalable composition according to any one of claims 1 - 10.

15

26. An inhalation device by which inhalable compositions according to any one of claims 1 - 10 may be administered to a patient which comprises a body shell which has a nozzle at a forward end and which is open at the rear end, a sleeve fitted on the outside of the body shell and rotatable with respect to it, a means for retaining a piercable capsule according to claim 25 extending through the rear wall of the sleeve into the body shell, means for piercing said capsule when sleeve is rotated and a guard to ensure that the composition and not the pierced capsule, passes through the nozzle.

20

25

27. An inhalation device by which inhalable compositions according to any one of claims 1 to 10 may be administered to a patient which comprises a nozzle, an air conduit connected to said nozzle for allowing a passage of air to be inhaled, a dosing unit comprising a storage chamber for the composition (which may also comprise a dosage indicating means) and a displaceable element for dispensing said composition from the storage chamber into the air conduit, a manoeuvering unit for displacing said element in relation to the storage chamber and optional deflector devices to provide accelerated airflow.

30

28. The use of particulate derivatised carbohydrates in dry powder pharmaceutical compositions comprising salmeterol or a pharmaceutically acceptable salt thereof and fluticasone propionate in order to eliminate or reduce

the detrimental effect on fine particle dose caused on storage of said compositions.

ABSTRACT

Dry powder pharmaceutical compositions having improved fine particle dose stability comprising a bronchodilator drug in combination with a steroidal anti-inflammatory drug., dry powder inhalers comprising the same and their use in the treatment of respiratory disorders by inhalation.




Figure 1




Figure 2